



**Centrum stavebního inženýrství a.s. Praha,**  
**Centre of Building Engineering Prague, Laboratory in Prague**  
 Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Certifikační orgán  
 Accredited Test Laboratory, Authorised Body, Notified Body, Certification Body  
 Pražská 16, 102 21 Praha 10, The Czech Republic

## EC - CERTIFICATE OF CONFORMITY

### 1390 – CPD – 0256/10/P

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive – CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

**Factory made mineral wool product ROCKWOOL used for thermal insulation of buildings**

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
FRONTROCK MAX E	0,036	A1	MW - EN 13162 - T5-DS(T+) - DS(TH) - CS(10)20 - TR10 - PL(5)250 - WS - WL(P) - MU1

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**  
 ul. Kwiatowa 14  
 66-131 Cigacice, Poland

and produced in the factory : **ROCKWOOL Polska, Sp.z o.o.**  
 ul. Kwiatowa 14  
 66-131 Cigacice, Poland (production line CIG 3)

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body 1390 - Centrum stavebního inženýrství a.s. - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

**EN 13 162 : 2008**

**and Annex B and C of the standard EN 13 172 : 2008**

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on < 15. 03. 2010 > and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Notified Body 1390  
 Prague, 15. 03. 2010



Ing. Petr Kučera, CSc.  
 Deputy of Notified Body 1390